



<https://doi.org/10.15407/ukrbotj82.06.552>

RESEARCH ARTICLE

New nomenclatural combinations in *Cenchrus*, and two new names in *Cenchrus* and *Elymus* (*Poaceae*)

Ihor G. OLSHANSKYI * , Natalia M. SHIYAN , Svitlana I. ANTONENKO 

M.G. Kholodny Institute of Botany, National Academy of Sciences of Ukraine,
2 Tereshchenkivska Str., Kyiv 01601, Ukraine

* Author for correspondence: olshansky1982@ukr.net

Abstract. Three new combinations are proposed in two genera of *Poaceae* following the recent phylogenetic data: *Cenchrus beckeroides* (Leeke) Olshanskyi, comb. nov., *Cenchrus exiguus* (Mez) Olshanskyi, comb. nov., and *Cenchrus ledermannii* (Mez) Olshanskyi, comb. nov. Two replacement names are validated: *Cenchrus hochstetteri* Olshanskyi, nom. nov. (= *Pennisetum humile* Hochst. ex A. Rich), honoring Christian Ferdinand Friedrich Hochstetter, a German botanist, and *Elymus xirynae* Olshanskyi, Shiyani & Antonenko, nom. nov. (= *Elymus x karakabinicus* (Kotukhov) Olshanskyi, nom. illeg., $\times$ *Elymotrigia altaica* Kotukhov), honoring Iryna Korotchenko, a Ukrainian botanist and conservationist.

Keywords: *Cenchrus*, $\times$ *Elymotrigia*, *Elymus*, *Elytrigia*, hybrid, nothotaxon, *Pennisetum*, species

Introduction

The family *Poaceae* Barnhart includes ca. 780 genera and ca. 12 000 species (Christenhusz, Byng, 2016). The system of this family is now dynamically changing, especially in response to new molecular phylogenetic data, which is reflected, in particular, in new or updated circumscriptions of genera and nomenclature of many taxa. For example, species earlier placed in *Hierochloë* were transferred to *Anthoxanthum* L., and *Pennisetum* Rich. is now merged into *Cenchrus* L. (see Donadio et al., 2009; Chemisquy et al., 2010; Verloove, 2012; de Lange,

James, 2024, etc.). Previously, we have already made several nomenclatural combinations in *Poaceae* and other families of monocots (Danylyk et al., 2017; Olshanskyi, 2023; Danylyk, Olshanskyi, 2024). Also, we propose here some new nomenclatural solutions for taxa worth to be accepted and placed in the proper genera. We found it necessary to make some of these nomenclature decisions partly thanks to POWO (2025–onwards). In this source, some names are listed as “nom. ined.”, a practice used to discover synonyms and subsequently put them under the correct name (de Lange, James, 2024; Sandoval-Ortega, Zumaya-Mendoza, 2025, etc.).

ARTICLE HISTORY. Submitted 28 July 2025. Revised 28 November 2025. Published 17 December 2025

CITATION. Olshanskyi I.G., Shiyani N.M., Antonenko S.I. New nomenclatural combinations in *Cenchrus*, and two new names in *Cenchrus* and *Elymus* (*Poaceae*). *Ukrainian Botanical Journal*, 82(6): 552–555. <https://doi.org/10.15407/ukrbotj82.06.552>

© M.G. Kholodny Institute of Botany, NAS of Ukraine, 2025

© Publisher PH "Akademperiodyka" of the NAS of Ukraine, 2025

This is an open access article under the CC BY license (<https://creativecommons.org/licenses/by/4.0/>)

Nomenclature

***Cenchrus beckeroides* (Leeke) Olshanskyi, comb. nov.**

Basionym: *Pennisetum beckeroides* Leeke, Z. Naturwiss. 79: 30. 1907.

Type citation (Leeke, 1907): “Abessinien”.

Type (Leeke, 1907; Phillips, 1995: 273, as “holo[type]”): FEDERAL DEMOCRATIC REPUBLIC OF ETHIOPIA: “Debra Eski, Schimper 38” (**lectotype, designated here**): B100167866 [<https://herbarium.bgbm.org/object/B100167866>]; isolectotypes: G, K, P, S).

Note. Here and below, in formally designating the lectotype, we follow the advice of McNeill (2014: 1113).

***Cenchrus hochstetteri* Olshanskyi, nom. nov.**

Replaced synonym: *Pennisetum humile* Hochst. ex A. Rich., Tent. Fl. Abyss. 2: 383. 1850.

Type citation (Richard, 1850): “in pratis prope Entchekab, in provincia Semiene, mense Julio (Schimper)”.

Type (Richard, 1850; Phillips, 1995: 269, as “holo[type]”): FEDERAL DEMOCRATIC REPUBLIC OF ETHIOPIA: “Semien, Entchekab [Enschedcap], Schimper 1372” (**lectotype, designated here**): P00442921 [<https://plants.jstor.org/stable/10.5555/al.ap.specimen.p00442921>]; isolectotypes: BR, G, GOET, HAL, K, KW, LG, M, MPU, P, REG, S, STU, TUB, US, W).

Etymology: The new name honors Christian Ferdinand Friedrich Hochstetter (1787–1860), a German botanist.

Notes. The new replacement name was necessary because of the already existing name *Cenchrus humilis* Hitchc. (Contr. U.S. Natl. Herb. 24: 488. 1927). During the preparation of this article, we discovered an additional original specimen (isolectotype) of *Pennisetum humile* Hochst. ex A. Rich. in the historical collection of Nikolai Turczaninow (KW-TURCZ), which is kept at the National Herbarium of Ukraine (KW001003700).

Pennisetum humile is listed at present in *Plants of the World Online* (<https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:415067-1>) as “*Cenchrus nanus* (Engl.) ined.”, a provisional nomenclatural combination based on “*Pennisetum humile* var. *nanum* Engl., Hochgebirgsfl. Afrika: 123 (1892)”. Since an epithet has priority only in its rank, we decided to provide a new name.

***Cenchrus exiguus* (Mez) Olshanskyi, comb. nov.**

Basionym: *Pennisetum exiguum* Mez, Bot. Jahrb. Syst. 57(2): 190. 1921.

Type citation (Mez, 1921): “Madagascar (Loher)”.

Type: REPUBLIC OF MADAGASCAR: “[Madagascar] Loher” (**lectotype, designated here**, or perhaps holotype): B100167865 [<https://herbarium.bgbm.org/object/B100167865>]; isolectotypes: M).

***Cenchrus ledermannii* (Mez) Olshanskyi, comb. nov.**

Basionym: *Pennisetum ledermannii* Mez, Bot. Jahrb. Syst. 57(2): 191. 1921.

Type citation (Mez, 1921): “Kamerun (Ledermann 2776)”.

Type: REPUBLIC OF CAMEROON: “Kamerun, Pass Tchäpe, 27 Febr 1909, C. Ledermann 2776” (**lectotype, designated here**, or perhaps holotype): B100167849 [<https://herbarium.bgbm.org/object/B100167849>]).

***Elymus xirynae* Olshanskyi, Shiyon & Antonenko, nom. nov.**

Replaced synonym: $\times$ *Elymotrigia karakabinica* Kotukhov, Bot. Zhurn. (Moscow & Leningrad) 75(12): 1755. 1990.

Type citation (Kotukhov, 1990): “Altaj Australis, jugum Tarbagataj, depressio Karakabinesis, 1700 m s. m., tumuli herbosi morenici, prata graminosa sicca, 3 VIII 1985, J. Kotuchov”.

Type (Kotukhov, 1990): REPUBLIC OF KAZAKHSTAN: “Altaj Australis, jugum Tarbagataj, depressio Karakabinesis, 1700 m s. m., tumuli herbosi morenici, prata graminosa sicca, 3 VIII 1985, J. Kotuchov [Южн. Алтай, хр. Тарбагатай, Каракабинская впадина, 1700м над ур. м., задерненные моренные бугры, суходольные злаковые луга, 3 VIII 1985, Ю. Котухов]” (holotype: LE; isotype: AA).

Hybrid formula: *Elymus fedtschenkoi* Tzvelev $\times$ *Elymus repens* (L.) Gould. [in Kotukhov (1990): *Elymus fedtschenkoi* Tzvelev $\times$ *Elytrigia repens* (L.) Nevski s. l.].

Synonyms (Olshanskyi, 2023): *Elymus* $\times$ *karakabinicus* (Kotukhov) Olshanskyi, Ukrayins'k. Bot. Zhurn. 80(2): 130 (2023), nom. illeg. (non *Elymus karakabinicus* Kotukhov, Bot. Zhurn. (Leningrad) 77(6): 89. 1992); $\times$ *Elymotrigia altaica* Kotukhov, Turczaninowia 1(1): 16. 1998.

Etymology: The new name honors Iryna Korotchenko (1973–2022), a Ukrainian botanist and

conservationist. Iryna Korotchenko's scientific interests included biodiversity conservation, phytosociology, plant ecology, and geography (see Mosyakin et al., 2022).

Note: A nomenclatural combination in *Elymus* based on $\times$ *Elymotrigia altaica* Kotukhov was impossible because of the pre-existing earlier name *Elymus altaicus* A. Spreng. (Tent. Suppl.: 5. 1828).

Acknowledgments

The authors are grateful to Sergei L. Mosyakin (M.G. Kholodny Institute of Botany, NAS of Ukraine, Kyiv, Ukraine) for discussion and editing.

ETHICS DECLARATION

The authors declare no conflict of interest.

ORCID

I.G. Olshanskyi  <https://orcid.org/0000-0002-8615-7054>

N.M. Shiyani  <https://orcid.org/0000-0001-8144-5623>

S.I. Antonenko  <https://orcid.org/0009-0009-0956-3372>

REFERENCES

- Chemisquy M.A., Giussani L.M., Scatagliini M.A., Kellogg E.A., Morrone O. 2010. Phylogenetic studies favour the unification of *Pennisetum*, *Cenchrus* and *Odontelytrum* (Poaceae): a combined nuclear, plastid and morphological analysis, and nomenclatural combinations in *Cenchrus*. *Annals of Botany*, 106(1): 107–130. <https://doi.org/10.1093/aob/mcq090>
- Christenhusz M.J.M., Byng J.W. 2016. The number of known plants species in the world and its annual increase. *Phytotaxa*, 261(3): 201–217. <https://doi.org/10.11646/phytotaxa.261.3.1>
- Danylyk I.M., Olshanskyi I.G. 2024. New combinations in *Carex* (Cyperaceae). *Phytoneuron*, 2024-23: 1–2. Available at: <https://www.phytoneuron.net/wp-content/uploads/2024/05/23PhytoN-CarexNames.pdf>
- Danylyk I.M., Olshanskyi I.G., Zhygalova S.L. 2017. A new nomenclatural combination in *Schoenoplectiella* (Cyperaceae). *Phytotaxa*, 299(1): 138–140. <https://doi.org/10.11646/phytotaxa.299.1.14>
- de Lange P.J., James C.J. 2024. New combinations in *Anthoxanthum* (Poaceae) for Aotearoa / New Zealand taxa earlier placed in *Hierochloa*. *Ukrainian Botanical Journal*, 81(4): 259–262. <https://doi.org/10.15407/ukrbotj81.04.259>
- Donadio S., Giussani L.M., Kellogg E.A., Zuloaga F.O., Morrone O. 2009. A preliminary molecular phylogeny of *Pennisetum* and *Cenchrus* (Poaceae-Panicaceae) based on the *trnL-F*, *rpl16* chloroplast markers. *Taxon*, 58(2): 392–404. <https://doi.org/10.1002/tax.582007>
- Kotukhov Ju.A. 1990. The new species of the hybridogenous genus $\times$ *Elymotrigia* (Poaceae) from the Western Kazakhstan. *Botanicheskii Zhurnal*, 75(12): 1753–1757. [Котухов Ю.А. 1990. Новые виды гибридогенного рода $\times$ *Elymotrigia* (Poaceae) из Восточного Казахстана. *Ботанический журнал*, 75(12): 1753–1757].
- Leeke P. 1907. Untersuchungen über Abstammung und Heimat der Negerhirse [*Pennisetum americanum* (L.) K. Schum.]. *Zeitschrift für Naturwissenschaften*, 79: 1–108. Available at: <https://www.biodiversitylibrary.org/page/34974502#page/15/mode/lup> (Accessed 10 January 2025).
- McNeill J. 2014. Holotype specimens and type citations: General issues. *Taxon*, 63(5): 1112–1113. <https://doi.org/10.12705/635.7>
- Mez C. 1921. Gramineae africanae. XIV. *Botanische Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie*, 57(2): 185–201.
- Mosyakin S.L., Didukh Y.P., Shiyani N.M. 2022. Devotion to plant conservation. In memory of Iryna A. Korotchenko (12.05.1973–06.09.2022). *Ukrainian Botanical Journal*, 79(5): 343–346. [Мосякін С.Л., Дідух Я.П., Шиян Н.М. 2022. Відданість справі охорони фіторізноманіття. Пам'яті Ірини Андріївни Коротченко (12.05.1973–06.09.2022). *Український ботанічний журнал*, 79(5): 343–346].
- Olshanskyi I.G. 2023. $\times$ *Kengdoroegneria*, nothogen. nov., and new nomenclatural combinations in *Triticeae* (Poaceae). *Ukrainian Botanical Journal*, 80(2): 128–132. <https://doi.org/10.15407/ukrbotj80.02.128>
- Phillips S. 1995. *Poaceae* (Gramineae). In: *Flora of Ethiopia and Eritrea*. Vol. 7. Eds. I. Hedberg, S. Edwards. Addis Ababa: EMPDA, pp. 1–420.
- POWO. 2025-onward. *Plants of the World Online*. Facilitated by the Royal Botanic Gardens, Kew. Available at: <https://powo.science.kew.org/> (Accessed 04 August 2025).
- Richard A. 1850. *Tentamen Florae Abyssinicae seu Enumeratio Plantarum hucusque in plerisque Abyssiniæ*. Vol. 2. Paris, 518 pp.
- Sandoval-Ortega M.H., Zumaya-Mendoza S. 2025. Type designations for three names applicable to Mexican species of *Dysphania* (Chenopodiaceae s. str. / Amaranthaceae s. l.), and a new combination. *Ukrainian Botanical Journal*, 82(2): 81–89. <https://doi.org/10.15407/ukrbotj82.02.081>

Verloove F. 2012. New combinations in *Cenchrus* (*Panicaceae*, *Poaceae*) in Europe and the Mediterranean area. *Willdenowia*, 42(1): 77–78. <https://doi.org/10.3372/wi.42.42108>

**Нові номенклатурні комбінації у роді *Cenchrus*,
а також дві нові назви у родах *Cenchrus* та *Elymus* (*Poaceae*)**

І.Г. ОЛЬШАНСЬКИЙ, Н.М. ШИЯН, С.І. АНТОНЕНКО

Інститут ботаніки ім. М.Г. Холодного НАН України,
вул. Терещенківська 2, Київ 01601, Україна

Реферат. Родина *Poaceae* включає близько 780 родів і 12 000 видів. Система цієї родини динамічно змінюється, особливо згідно результатів молекулярно-філогенетичних досліджень. Зокрема, види роду *Hierochloë* були переведені в рід *Anthoxanthum*, а види роду *Pennisetum* — у *Cenchrus*. Раніше ми зробили кілька номенклатурних комбінацій у родині *Poaceae* та деяких інших родин однодольних рослин. У цій статті ми запропонували ще деякі номенклатурні рішення. Так, ми зробили три нові номенклатурні комбінації: *Cenchrus beckeroides* (Leeke) Olshanskyi, comb. nov., *Cenchrus exiguus* (Mez) Olshanskyi, comb. nov., *Cenchrus ledermannii* (Mez) Olshanskyi, comb. nov. Також, запропоновано дві заміні назви: *Cenchrus hochstetteri* Olshanskyi, nom. nov. (= *Pennisetum humile* Hochst. ex A. Rich.), на честь німецького ботаніка Християна Фердинанда Фрідріха Хохштеттера [Гохштеттера] і *Elymus xirynae* Olshanskyi, Shiyani & Antonenko, nom. nov. (= *Elymus xkarakabinicus* (Kotukhov) Olshanskyi, nom. illeg., *xElymotrigia altaica* Kotukhov), на честь Ірини Коротченко, українського ботаніка та природоохоронця.

Ключові слова: *Cenchrus*, *xElymotrigia*, *Elymus*, *Elytrigia*, *Pennisetum*, вид, гібрид, нототаксон